

Set Name Query

side by side

Hit Count Set Name

result set

*DB=USPT; PLUR=YES; OP=ADJ*L2 line\$1 blank\$ same stereoscop\$ same (progressive or non interlac\$) 0 L2L1 line with blank\$ same stereoscop\$ same (progressive or non-interlac\$) 3 L1

END OF SEARCH HISTORY

WEST

Help

Logout

Interrupt

Main Menu

Search Form

Posting Counts

Show S Numbers

Edit S Numbers

Preferences

Cases

Search Results -

| Term | Documents |
|---|-----------|
| LINE\$1 | 0 |
| LINE.USPT. | 1560811 |
| LINEA.USPT. | 202 |
| LINEB.USPT. | 5 |
| LINEC.USPT. | 7 |
| LINED.USPT. | 60118 |
| LINEE.USPT. | 31 |
| LINEF.USPT. | 2 |
| LINEI.USPT. | 6 |
| LINEK.USPT. | 343 |
| LINEL.USPT. | 11 |
| (LINE\$1 BLANK\$ SAME STEREO\$COP\$ SAME (PROGRESSIVE OR NON INTERLAC\$)).USPT. | 0 |

There are more results than shown above. [Click here to view the entire set.](#)

Database:

US Patents Full-Text Database

US Pre-Grant Publication Full-Text Database

JPO Abstracts Database

EPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L2

Refine Search

Recall Text

Clear

Search History

DATE: Friday, June 14, 2002 [Printable Copy](#) [Create Case](#)

WEST

Generate Collection

Print

L1: Entry 2 of 3

File: USPT

Aug 31, 1999

DOCUMENT-IDENTIFIER: US 5946027 A
TITLE: Autostereoscopic video device

Brief Summary Paragraph Right (37):

In a preferred embodiment, the transcoding memory is such that an interlace-scan image is transformed into a flat anamorphosed image with progressive [i.e. non-interlaced] scanning. As a result, relief is perceived in greater comfort, in particular when the lines of the stereoscopic image are vertical, in which case, because of the vertical scanning of the original image, the viewpoints of the stereoscopic image blank out in alternation.

V